

-Link Product Announcement

DI-524UP

Date: September 2, 2005

02.11g Wireless Cable/DSL Internet Gateway w/USB rinter Port OHO Router 1 Oct.
OHO Router 1
1
Wireless Power Status MAN WEAN 1 2 3 4 DI-524UP
Te're releasing this DI-524UP wireless G router with built-in print between the property of th
elling Points Low cost, entry-level router. Basic firewall/parental control functions. Additional benefits like built-in print server and 4-port switch. Setup wizard should help entry level users.
10/100BASE-TX Port for DSL/Cable Modem Connection WAN Port Supports PPPoE for Internet Dial-Up Mode Built-in 802.11g WLAN for Wireless Users Connection at Up to 64Mbps Integrated 4-Port Switch for 4 Computer Connections on Ethernet VPN Pass-Through for Remote User Access Parental Control: MAC/IP/URL Filtering, Domain Blocking & 65cheduling Wireless Security: WPA, 64/128-Bit WEP Data Encryption Built-in Print Server USB Port for Printer Connection Share Printers in Windows, Mac, Linux Environments Web-Based Configuration With Setup Wizard



UPC Code:	Part Number	UPC code	
	 Ethernet Cable AC Power Adapt 	er	
	- Quick Installation		
Packaging Contents:	 DI-524UP Wirele CD-ROM with Ma 		
Packaging Style		ox ☑ Gift Box □ Bulk □ Oth	ers
-	LI Otticis		
Safety	☐ FDA No	☑ C-Tick No ☐ R&TTE No ☐ UL No	BSMI No.
EMI/EMC Report	☑FCC No	_ ☑ CE No l ☑ C-Tick No □	□ VCCI No.
	Through external pow Safety and Emission - FCC Class B - CE - C-Tick	·	
	Power Input		
	Device Management - Web-based Internet Java-enabled browse - DHCP Server and Cl		Navigator v.7 or other
	VPN Pass-Through/N - PPTP - L2TP - IPSec	Multi-Sessions	
	Firewall Features - NAT (Network Addre MAC address filtering - IP address filtering - URL filtering - Domain blocking - Scheduling	ess Translation) with VPN	pass-through
	Security - 802.1x user authenti - 64/128-bit WEP wire - WPA Wi-Fi Protected Shared Key Authenti	less data encryption d Access (WEP with TKIP	P, MIC, IV Expansion,
	Antenna 2dBi single detachable	e reverse SMA	
	Wireless Signal Rate 54Mbps, 48Mbps, 36M 9Mbps, 6Mbps, 5, 5M	Abps, 24Mbps, 18Mbps, 1	I2Mbps, 11Mbps,
	Wireless Frequency 2.4GHz to 2.462GHz	Range	
Technical Details:		ernet WAN port supportin thernet LAN ports suppor N	



Product Announcement 280818

		. / \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	<u>oanoomor</u>	
	NI524UPCEUA1	790069	280818	
	TI524UPANAA1	790069	280825	
	II524UPBEUA1	790069	280832	
	II524UPEEUA1	790069	277252	
	II524UPENAA1	790069	277269	
	II524UPANAA1	790069	277276	
	II524UPNEUA1	790069	277283	
	EI524UPEEUA1	790069	282874	
	EI524UPBEUA1	790069	282881	
Units Per Carton:	5			
Cartons Per Pallet:		Ca	rtons Per Pallet:	
Cartons i ci i anct.	For WW by Air: 72 S	ea: 72	itoris i ci i alict.	
	_			
Dimensions and Weight:	Box:			
	239x168x36(Type A)	223x148x75(T	ype B) 🗌 265x161.5x69(Type C	C)
	□ 072×20E×66/Tvm	7 072×205×440/	Time D4) = 2005245566(Time F	-\
			Type D1) 🗌 288x245x66(Type E	=)
		<u>nm, 1.28</u> kg		
	Carton: 370*290*230			
	Pallet: (by Air) 110*120			
	(by Sea) 110*120 INTRASTAT weight: 82		s kg (lol vvvv)	
	Packing material weigh			
	- Paper: 437g	t (DOX).		
	- Plastic: 15.5g			
	- Mixed: 3.64g			
Cartons Per Pallet:	For UK by Air: 72 Se	a: 72 Ca	rtons Per Pallet:	
Dimensions and Weight:	Box.			
Dimensions and Weight:	Box:		D) = 005 (0) 5 00/T	.,
Dimensions and Weight:		223x148x75(T	ype B)	;)
Dimensions and Weight:	☐ 239x168x36(Туре A) Г		Type B)	
Dimensions and Weight:	☐ 239x168x36(Type A) ☐ ✓ 273x205x66(Type D) ☐	273x205x119(
Dimensions and Weight:	☐ 239x168x36(Type A) ☐ ✓ 273x205x66(Type D) ☐ , Others	273x205x119(nm,1.28 kg		
Dimensions and Weight:	☐ 239x168x36(Type A) ☐ ✓ 273x205x66(Type D) ☐ , Others m Carton: 370*290*230	273x205x119(nm, 1.28 kg mm, 7 kg	Type D1) 🗌 288x245x66(Type E	
Dimensions and Weight:	☐ 239x168x36(Type A) ☐ ✓ 273x205x66(Type D) ☐ , Others	273x205x119(nm, 1.28 kg mm, 7 kg)*205 cm, 525	Type D1)	
Dimensions and Weight:	☐ 239x168x36(Type A) ☐ ☐ 273x205x66(Type D) ☐ ☐, Others	273x205x119(nm, 1.28 kg mm, 7 kg)*205 cm, 525)*205 cm, 525 24g (Box)	Type D1)	
Dimensions and Weight:	☐ 239x168x36(Type A) ☐ ✓ 273x205x66(Type D) ☐ , Others m Carton: 370*290*230 Pallet: (by Air) 110*120	273x205x119(nm, 1.28 kg mm, 7 kg)*205 cm, 525)*205 cm, 525 24g (Box)	Type D1)	
Dimensions and Weight:	☐ 239x168x36(Type A) ☐ ☐ 273x205x66(Type D) ☐ , Others	273x205x119(nm, 1.28 kg mm, 7 kg)*205 cm, 525)*205 cm, 525 24g (Box)	Type D1)	
Dimensions and Weight:	☐ 239x168x36(Type A) ☐ ☐ 273x205x66(Type D) ☐ , Others	273x205x119(nm, 1.28 kg mm, 7 kg)*205 cm, 525)*205 cm, 525 24g (Box)	Type D1)	
J	☐ 239x168x36(Type A) ☐ ☐ 273x205x66(Type D) ☐ , Others	273x205x119(nm, 1.28 kg mm, 7 kg *205 cm, 525 *24g (Box) *t (Box):	Type D1)	
Dimensions and Weight: Cartons Per Pallet:	☐ 239x168x36(Type A) ☐ ☐ 273x205x66(Type D) ☐ , Others	273x205x119(nm, 1.28 kg mm, 7 kg *205 cm, 525 24g (Box) t (Box):	Type D1)	
Cartons Per Pallet:	☐ 239x168x36(Type A) ☐ ✓ 273x205x66(Type D) ☐ , Others	273x205x119(nm, 1.28 kg mm, 7 kg *205 cm, 525 24g (Box) t (Box):	Type D1)	
J	☐ 239x168x36(Type A) ☐ ☐ 273x205x66(Type D) ☐ ☐, Others	273x205x119(nm, 1.28 kg mm, 7 kg 0*205 cm, 525 0*205 cm, 525 24g (Box) t (Box): Ca	Type D1)	≣)
Cartons Per Pallet:	□ 239x168x36(Type A) □ □ 273x205x66(Type D) □ , Others	273x205x119(nm, 1.28 kg mm, 7 kg)*205 cm, 525)*205 cm, 525 24g (Box) t (Box): 223x148x75(T 273x205x119(Type D1)	E)
Cartons Per Pallet:	□ 239x168x36(Type A) □ □ 273x205x66(Type D) □ , Others	273x205x119(nm, 1.28 kg mm, 7 kg 0*205 cm, 525 0*205 cm, 525 24g (Box) t (Box): 223x148x75(T 273x205x119(nm, 1.28 kg	Type D1) 288x245x66(Type E kg (for WW) kg (for WW) rtons Per Pallet:	E)
Cartons Per Pallet:	☐ 239x168x36(Type A) ☐ ☐ 273x205x66(Type D) ☐ ☐, Others	273x205x119(nm. 1.28 kg mm, 7 kg **205 cm, 525 **205 cm, 525 **24g (Box) t (Box): 223x148x75(T 273x205x119(nm. 1.28 kg mm, 7 kg	Type D1)	E)
Cartons Per Pallet:	☐ 239x168x36(Type A) ☐ ☐ 273x205x66(Type D) ☐ ☐, Others	273x205x119(nm. 1.28 kg mm, 7 kg **205 cm, 525 **249 (Box) **124	Type D1) 288x245x66(Type E kg (for WW) kg (for WW) rtons Per Pallet: Type B) 265x161.5x69(Type C Type D1) 288x245x66(Type E kg (for WW)	E)
Cartons Per Pallet:	☐ 239x168x36(Type A) ☐ ☐ 273x205x66(Type D) ☐ ☐, Others	273x205x119(nm, 1.28 kg mm, 7 kg 1205 cm, 525 24g (Box) t (Box): 223x148x75(T 273x205x119(nm, 1.28 kg mm, 7 kg 1205 cm, 525 2205 cm, 525 273c05 cm, 525	Type D1) 288x245x66(Type E kg (for WW) kg (for WW) rtons Per Pallet: Type B) 265x161.5x69(Type C Type D1) 288x245x66(Type E kg (for WW)	E)
Cartons Per Pallet:	□ 239x168x36(Type A) □ □ 273x205x66(Type D) □ , Others	273x205x119(nm, 1.28 kg mm, 7 kg **205 cm, 525 **24g (Box) **t (Box): 223x148x75(T 273x205x119(nm, 1.28 kg mm, 7 kg **205 cm, 525 **205 cm, 525 **205 cm, 525 **24g (Box)	Type D1) 288x245x66(Type E kg (for WW) kg (for WW) rtons Per Pallet: Type B) 265x161.5x69(Type C Type D1) 288x245x66(Type E kg (for WW)	E)
Cartons Per Pallet:	□ 239x168x36(Type A) □ □ 273x205x66(Type D) □ , Others	273x205x119(nm, 1.28 kg mm, 7 kg **205 cm, 525 **24g (Box) **t (Box): 223x148x75(T 273x205x119(nm, 1.28 kg mm, 7 kg **205 cm, 525 **205 cm, 525 **205 cm, 525 **24g (Box)	Type D1) 288x245x66(Type E kg (for WW) kg (for WW) rtons Per Pallet: Type B) 265x161.5x69(Type C Type D1) 288x245x66(Type E kg (for WW)	E)
Cartons Per Pallet:	□ 239x168x36(Type A) □ □ 273x205x66(Type D) □ , Others	273x205x119(nm, 1.28 kg mm, 7 kg **205 cm, 525 **24g (Box) **t (Box): 223x148x75(T 273x205x119(nm, 1.28 kg mm, 7 kg **205 cm, 525 **205 cm, 525 **205 cm, 525 **24g (Box)	Type D1) 288x245x66(Type E kg (for WW) kg (for WW) rtons Per Pallet: Type B) 265x161.5x69(Type C Type D1) 288x245x66(Type E kg (for WW)	E)
Cartons Per Pallet:	□ 239x168x36(Type A) □ □ 273x205x66(Type D) □ , Others	273x205x119(nm, 1.28 kg mm, 7 kg **205 cm, 525 **24g (Box) **t (Box): 223x148x75(T 273x205x119(nm, 1.28 kg mm, 7 kg **205 cm, 525 **205 cm, 525 **205 cm, 525 **24g (Box)	Type D1) 288x245x66(Type E kg (for WW) kg (for WW) rtons Per Pallet: Type B) 265x161.5x69(Type C Type D1) 288x245x66(Type E kg (for WW)	E)



Product Announcement

3 Wireless--(100) -**Product Class** T 3-108 Gateway **Item Group** 3-214 Indoor T **Sub Group** 303 Managed Ŧ Intelligence \blacksquare 3-404 11g Tech.(Features) 603 L3 • Layer 502 Home/SOHO **Application** 1 Q'ty Interface 1 703 Net Interface 3-803 10/100BASE-T $\overline{}$ **Net Interface** 5 Port NO. Interface 2 703 Net 🔻 Interface 3-810 11g ▾ **Net Interface** 1 Port NO. Interface 3 702 Host 🔻 Interface 3-843 Printer Port ▾ **Net Interface**

1

Port NO.