



Easy to Set Up and Use

The DWR-921 4G LTE Router can be installed quickly and easily almost anywhere. This router is great for situations where an impromptu wireless network must be set up, or wherever conventional network access is unavailable. The DWR-921 can even be installed in buses, trains, or boats, allowing passengers to check e-mail or chat online while commuting or traveling.

Your Network Setup



Technical Specifications

General

Device Interfaces	<ul style="list-style-type: none"> • Four 10/100 Ethernet LAN ports • WAN (RJ-45) port 	<ul style="list-style-type: none"> • Two detachable 3G/4G antennas
Data Rates ¹	<ul style="list-style-type: none"> • Up to 150 Mbps with 802.11n clients • 6/9/11/12/18/24/36/48/54 Mbps in 802.11g mode • 1/2/5.5/11 Mbps in 802.11b mode 	<ul style="list-style-type: none"> • LTE Uplink: Up to 50 Mbps • LTE Downlink: Up to 100 Mbps
Standards	<ul style="list-style-type: none"> • 802.11g/b, compatible with 802.11n • 802.3 	<ul style="list-style-type: none"> • 802.3u
GSM Band	<ul style="list-style-type: none"> • 850/900/1800/1900 MHz 	
UMTS/HSDPA/HSUPA Band ²	<ul style="list-style-type: none"> • 900/2100 MHz 	<ul style="list-style-type: none"> • Power Class 3
LTE Band	<ul style="list-style-type: none"> • 900/1800/2600/800 MHz 	

DWR-921 4G LTE Router

Functionality		
Wireless Security	<ul style="list-style-type: none">• 64/128-bit WEP (Wired Equivalent Privacy)	<ul style="list-style-type: none">• WPA & WPA2 (Wi-Fi Protected Access)
Firewall	<ul style="list-style-type: none">• Network Address Translation (NAT)	<ul style="list-style-type: none">• Stateful Packet Inspection (SPI)
VPN	<ul style="list-style-type: none">• L2TP/PPTP/IPSEC VPN Pass-through	
Physical		
LED Status Indicators	<ul style="list-style-type: none">• WAN• LAN• WLAN• 4G	<ul style="list-style-type: none">• 3G• SMS• Signal
Dimensions	<ul style="list-style-type: none">• 190 x 111.5 x 23.5 mm (7.48 x 4.39 x 0.93 inches)	
Weight	<ul style="list-style-type: none">• 500 grams (1.10 lb)	
Temperature	<ul style="list-style-type: none">• Operating: 0 to 40 °C (32 to 104 °F)	
Humidity	<ul style="list-style-type: none">• Operating: 10% to 90% non-condensing	
Certifications	<ul style="list-style-type: none">• CE	<ul style="list-style-type: none">• Wi-Fi Certified
Order Information		
<i>Part Number</i>	<i>Description</i>	
DWR-921	4G LTE Router	

¹ Data rates are theoretical. Data transfer rate depends on network capacity and signal strength.

² Supported frequency band is dependent upon regional hardware version.

Updated 2014/02/14